


Panel design

Panels with micro-rib profiling on the outer face

The outer skin of this type of panel features 8 mm micro-rib profiling. The microprofiling finish of the smooth outer skin creates a stylish optical effect. This style of panel is the best choice for use in ultra-modern residential designs, creating a strikingly unique appearance when fitted to built-in garages. This type of panel is less susceptible to damage. When viewed from a distance, this panel design appears to be smooth.




Panel features

- has a modern appearance
- is a refined design
- is exclusive and stylish
- offers excellent thermal and sound insulation properties
- provides good security
- is durable
- is easy to maintain
- is easy to clean

The 8 mm micro-rib panel is available as standard in RAL 9016 as standard and is the ideal choice for modern architectural styles.

Panels with micro-rib profiling on the outer face

The outer skin of this type of panel features 16 mm micro-rib profiling. The microprofiling finish of the smooth outer skin creates a stylish optical effect. This style of panel is the best choice for use in ultra-modern residential designs, creating a strikingly unique appearance when fitted to built-in garages. When viewed from a distance, the unique appearance of the micro-ribs is also clearly visible. This panel variant is exclusive to ALPHA Deuren International BV.




Panel features

- has a modern appearance
- is a refined design
- is exclusive and stylish
- offers excellent thermal and sound insulation properties
- provides good security
- is durable
- is easy to maintain
- is easy to clean

The 16 mm micro-rib panel is available in RAL 7016, 9002, RAL 9006, RAL 9007 and RAL 9016 as standard. This panel is an excellent choice for modern architectural designs.

Panels with stucco embossing on the outer face

The stucco finish panel has proved itself in many different applications. The embossed stucco finish masks dust and dirt and camouflages tiny scratches and dents. While stucco finish door leaves are eminently suitable for traditional homes, they certainly do not look out of place in a modern home.




Panel features

- is exclusive and stylish
- offers excellent thermal and sound insulation properties
- provides good security
- is durable
- is easy to maintain

The stucco finish panel is available in RAL 9016 as standard.

Panels with a “wood grain” finish on the outer face

The “wood grain” finish – This design, which mimics the appearance of natural wood, has a timeless “country-home” look. The panel structure gives the door classical authenticity and masks minor damage. This charming rustic and classical country design is the ideal way of adding your own personal accent when renovating an older home or building a new home to a classical style.



Panel features

- Has a classical, country-home appearance
- Is robust and long-lasting
- Camouflages minor scratches and surface imperfections
- Is intruder-resistant and low-maintenance
- Offers excellent thermal and sound insulation properties

The “wood grain” panel is offered as standard in RAL 9016. If required, the panel can be supplied in nearly all the colours in the RAL colour range.

Panels with a single horizontal groove pattern on the outer face

This door leaf, which features smooth panels with a single horizontal groove in the centre of each panel, has a strikingly timeless look. The no-nonsense, striking line pattern of this type of panel ideally complements the elegance of modern, architecturally styled homes. However this door leaf is also a perfect choice in a more classical setting.



Panel features

- Has a non-nonsense, striking line pattern
- Has timeless and elegant character
- Is easy to clean
- Offers excellent thermal and sound insulation properties
- Is intruder-resistant and low-maintenance

The smooth-skinned panel with a single horizontal groove is available as standard in RAL 9016. The panel is also available in 12 RAL colours from the preferential colour range.

Panels with a totally smooth finish on the outer face

Totally smooth garage door panels are the ideal solution for those who prefer an elegant, minimalist appearance. The face of the building and the garage door leaf merge into a harmonious whole.



Panel features

- is exclusive and stylish
- offers excellent thermal and sound insulation properties
- provides good security
- is durable
- is easy to maintain
- is easy to clean

The totally flat panel is available in RAL 9016 as standard.

Door leaves made up of ALU panels

Door leaves made of ALU panels are strikingly exclusive. This type of design allows multiple different configurations. The panels are assembled using extruded aluminium profiles. Each panel is divided up into a number of partitions or fields. Customers can specify the partition width within the technical limits of the design. The resulting partition configuration is repeated for all the other panels that go to make up the door leaf. This creates a balanced and harmonious appearance. Each partition or field is infilled with fully transparent or frosted plastic glazing or stucco panelling. The single sheet or insulated window panes are made of acrylic plastic.

This material is highly transparent and far more resistant to scratching than styrene acrylonitrile (SAN). The benefits of our acrylic glazing are explained in greater detail in a subsequent section. The gap between the window pane and the aluminium frame is sealed by a rubber profile with a multistrand cord core. This construction maintains an effective seal even after years of use. The profiles and perforated/non-perforated infill materials can however be supplied with a powder-coated acrylic paint finish. Customers can choose from an extensive range of RAL colours.

